

PATENT NUMBER

U.S. UTILITY Patent Application

| | |
|--|--------------------|
| <p><i>MH</i></p> <p>O.I.P.E.</p> <p>SCANNED <i>15</i> Q.A. <i>ST</i></p> | <p>PATENT DATE</p> |
|--|--------------------|

| | | | | | |
|------------------------------|-----------------|---------------------|---------------|------------------------|--|
| APPLICATION NO. 09/688328 | CONT/PRIOR D | CLASS 525 524 | SUBCLASS L | ART UNIT 1241 94 | EXAMINER HORE Shahzad Ebrahimian Szekely |
|------------------------------|-----------------|---------------------|---------------|------------------------|--|

Shahzad Ebrahimian
Mark Jozokos
Will Pavilionis

Non-dripping, flame retardant, fluoroelastomer insulative compositions for telecommunication cables

PTO-2040
12/89

ISSUING CLASSIFICATION

[illegible]

| | | | | | |
|--|--|----------------------|---------------------|-----------------------------------|----------------------|
| <input type="checkbox"/> TERMINAL DISCLAIMER | DRAWINGS | | | CLAIMS ALLOWED | |
| | Sheets Drwg. _____ | Figs. Drwg. _____ | Print Fig. _____ | Total Claims | Print Claim for O.G. |
| <input type="checkbox"/> The term of this patent subsequent to _____ (date) has been disclaimed. | _____ (Assistant Examiner) (Date) | | | NOTICE OF ALLOWANCE MAILED | |
| <input type="checkbox"/> The term of this patent shall not extend beyond the expiration date of U.S Patent. No, _____ _____ _____ | _____ (Primary Examiner) (Date) | | | ISSUE FEE | |
| | | | | Amount Due | Date Paid |
| <input type="checkbox"/> The terminal ____months of this patent have been disclaimed. | _____ (Legal Instruments Examiner) (Date) | | | ISSUE BATCH NUMBER | |
| WARNING: The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35, Sections 122, 181 and 368. Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only. | | | | | |

Form **PTO-436A**
(Rev. 6/99)

FILED WITH: ☐ DISK (CRF) ☐ FICHE ☐ CD-ROM
(Attached in pocket on right inside flap)

BEST AVAILABLE COPY

(FACE)